

MODEL NOS LH-65AT6VS

LH-75AT6VS LH-86AT6VS

THE NEW AT SERIES


INTERACTIVE PROFESSIONAL DISPLAYS



THE NEW AT SERIES

The Android 9 OS-powered AT Series is the latest Interactive Series tailored design for education and office verticals. The series includes powerful touch/pen tools with a light user experience together with all the fundamental features needed for teachers and students, and manageability for school IT administrators.





DISPLAY FEATURES

Eye-care Solution

Designed to reduce eye strain with flicker-free screen at maximum brightness level.


Impressive 4K Performance

Exceptional viewing creates superior picture quality with 4K resolution and 178-degree viewing angle.





Flicker Eye



Panasonic

Anti-glare Tempered Glass

The anti-glare coating prevents excessive light reflection and provides a smooth touch performance. Toughened glass is incorporated into the robust design of the display to avoid accidental damage to the screen.



Anti-shatter Toughened Glass


TOUCH FEATURES

Improved Fluent Touch Experience

Incorporating the latest 20-point IR touch technology with faster response. The new AT range is designed to allow multiple users to interact simultaneously. The super-smooth surface allows for a highly precise and user-friendly writing experience.



High Precision Touch 20-Point Touch



Smooth Touch Support

A new touch frame gives the users the option to auto-recognize the color and pen thickness separately (dual pen).

Super Slide Surface Palm Erase

CONNECTIVITY

A great many ports available to cover the highest requirements

Aside from all the easily accessible front ports, AT Series is equipped with embedded Wi-Fi and BT modules and many rear I/O ports:

4 x HDMI2.0 | 2 x USB2.0 Type-A 1 x USB Type-C | 1 x MicroSD 1 x OPS Slot | 1 x LAN and more 1 x Secure Slot (USB)

USB Type-C


Can transfer 4K video and data whilst powering/charging mobile devices. OPS compatibility enhances processing capabilities using pluggable PC in OPS slot.

OPS Slot

Enhanced processing capabilities using pluggable PC in OPS slot. Compatible with a range of Windows OPS.

0 .	- 0
· · · · · · · · · · · · · · · · · · ·	
	,

Self Lock System





OPS

 \bigcirc \bigcirc HDMI-Out* USB Type C* Headphone USB Audio Out IR Input @**:::::**:@ Wireless VGA RS232 OPS Sensor Input LAN Screen Sharing

NATURAL WRITING EXPERIENCE

Professional Pen Design

Passive magnetic pen with 2 different tip sizes can be assigned to different colors automatically.

Smooth Dual Pen

A passive magnetic pen with two different pen sizes as well as palm erase provides teachers the ability to be more efficient and effective in classrooms.

AN ARRAY OF ANDROID APPLICATIONS DELIVERS DIFFERENT WAYS OF STUDENT ENGAGEMENT

Offering fundamental applications, the new AT Series allows users to annotate on Whiteboard, share content remotely via Eshare, work on documents in OfficeSuite, open media and browse through your documents and folders.



Whiteboard Application for Flawless Teaching Experience

The new AT Series offers a compact whiteboard application design for teachers with the required tools to annotate, draw or highlight using 2 different tip sizes with auto-recognition, add texts and media to work on during classes. Whiteboard application can quickly open any cropped screenshots with any annotation done over any source.

FLEXIBLE TOOLS

Quick Tools and Settings

New quick tools (calculator, chronometer, timer, screen capture, and crop) and quick settings (volume /brightness settings, screen lock, NFC settings, and more) for teachers to utilize the AT Series board efficiently without disrupting the classes.







Chronometer

+-×≡ Calculator





Enhanced User Experience

FRONT DESIGN

The new AT Series creates a tailored teaching experience while offering a unified Navigation Toolbar. New User Interface unites all the necessary tools for teachers to shape the classroom environment.

Back Home Recent Apps Settings Profile All Apps Tools Source

Everything You Need is Within Reach

The new AT Series has everything the teacher needs to use in front of the display. External disks/USBs can be easily connected to the device and also any external PC can be passed over to the board via HDMI and touch input. Furthermore, the front buttons grant the ability to control the display in any situation easily.

Flexible Pen Usage on Any Content

The newly introduced Quick Palette tool provides teachers with the much needed tools to annotate any classroom content and/or any Source. Quick Palette tools include features such as pen and highlighter, screenshots, and screen-crops.

Powerful Speakers

2x20W front-facing speakers can easily be effective even in the largest classrooms without any need to add external speakers.

SIGNEDGE* ONE STOP DIGITAL SIGNAGE PLATFORM

FEED **CAPABILITIES**

REAL-TIME

Live information of

news, weather, etc.

WIDGETS

ALERTS

any delay.

Display alerts

in real-time without

SOCIAL MEDIA

Twitter and other

social media feeds.

Link Facebook,

RSS and HTML feeds display real-time

data.



CONTENT STREAMS

Customize your layout format based on users' needs.

FEATURES OF PANASONIC SIGNEDGE SOLUTION



PLAYER MANAGEMENT

dashboard and get all the reports.

CONTENT MANAGEMENT

Manage where and when

CUSTOM ANNOUNCEMENT

Variety of fonts, colours and photo options.

VIDEOS & LIVE TV

Stream HD videos, play live TV videos.

CUSTOMER SERVICE

Pan-India support and assistance.

UPGRADES

Simultaneous push upgrades over the network.

USE ADMINS

Authorised edit access to chosen admins.



IMPORT FILES

Make use of PowerPoint, Word, PDF, Excel and other formats.



SHARE MULTIPLE DISPLAYS

Project content on multiple displays irrespective of the location.

REPORTS

Get organised reports about all your display status & CMS software. Display media player on/off Assigned content report | User activity

INTEGRATION CAPABILITIES SCHEDULE

Easy integration with software and mobile application.

Choose your preferred time and date to display content.

CREATOR AND APPROVER

Approve your content before projecting it on the screen.

to display and for how long.

Manage everything directly from the

SPECIFICATIONS

Model	LH-65AT6VS	LH-75AT6VS	LH-86AT6VS		
Panel					
Screen Size	165cm	190.5cm	218.4cm		
Backlight Type		Direct-Type LED			
Brightness (typical)	400 cd/m ²				
Native Resolution	3840 x 2160 (16:9) - UHD				
Panel Life Time (Min.)	50000 Hrs				
Response Time (typical)		8 ms			
Active Area (H x V)	1428 x 803 mm	1650 x 928 mm	1895 x 1066 mm		
Viewing Angle		178° Vert., 178° Hor.			
Glass Type/Hardness		4mm Tempered Anti-Glare			
Built-in-system					
Operating System		Android 9			
CPU		Quad-Core ARM Cortex-A55			
GPU		ARM Mali-G31 MP2			
Memory		4 GB			
Storage		64 GB			
Wired		10/100/1000 Mbps Ethernet			
WiFi		WiFi 5 (802.11 a/b/g/n/ac)			
Bluetooth		BT 5.1			
Monitor Connectivity					
		3 × HDMI2.0, 1 × USB-A 3.0.			
		1 x USB-A 3.0, 1 x USB-A 2.0,			
		1 x USB-C 3.0 (touch + data + 7.5 W chargi	na)		
Video Input		1 x MicroSD (up to 1TB),			
		1 x Secure Slot (USB2.0),			
	1 x OPS Slot (15W)				
Video Output	1×HDMI2.0				
Audio Output		Headphone, Optic SPDIF			
External Control		RS232 (3.5mm jack green)			
External Sensor		RJ12			
Front Connectivity					
Front I/Os		1 x USB-A 2.0,			
		1 x USB-A 3.0,			
		1 x USB-B 2.0 for touch,			
		1 x HDMI 2.0 Input			
		Standby on/off			
		Volume up			
Concelo Duttora		Volume down			
Console Buttons		Touch enable/disable			
	Source Change				
	Settings				
IR Receiver		Fixed on bezel			
Audio		2x20 W - Front Facing Speakers			
Pen Holder		Integrated Magnetic Tray			
Touch Technology					
Type of Touch Technology		Infrared (IR) Technology			
Continuous Touch Points	20 Points: Windows, 10 Points: Android				
Sensitivity			iter		
Scharting		Any touch with finger, gloved hand or pointer			
Connectivity	HID, TUIO, Flash				
	Windows*7, Windows*8, Windows*10, Vista, XP, Mac* OS, Linux, Android				
upported OS and Applications	Windows®7, W				
-	Windows®7, W	Battery-less Pen 2			

SPECIFICATIONS

Model	LH-65AT6VS	LH-75AT6VS	LH-86AT6VS	
Mechanical				
Product Dimensions (WxDxH)	1497 x 113 x 930 mm	1721 x 113 x 1056 mm	1962 x 97 x 1184 mm	
Package Dimensions (WxDxH)	1765 x 265 x 1100 mm	1990 x 265 x 1227 mm	2163 x 380 x 1490 mm	
Product Weight	43.6 kg	59.3 kg	85.5 kg	
Package Weight	51.8 kg	73.8 kg	109.4 kg	
Vesa Mounting	400 x 400 mm - M6	600 x 400 mm - M8	600 x 400 mm - M8	
Bezel Width	B: 66 mm T: 15 mm L/R: 15 mm			
Enviromental Conditions				
Operating Temperature	+40°C / 0°C			
Operating Humidity	90%			
Power				
Power Supply	110 VAC - 240 VAC			
Power Consumption				
Typical	194 W	240 W	280 W	
Deep Standby	≤ 0.5 W			
Mechanical Features				
Features	Slim Bezel, User-Friendly Front Ports and Buttons,			
reatures	Detachable power cable, Carrying handles			
User Experience				
Homepage	Personalized Background, Home buttons, Navigation bar, Quick Palette			
Launcher	All Apps, Profile Login/Logout, Quick Settings, Tools, Source Change			
Applications	Whiteboard, Eshare Pro, Chromium, Officesuite, Vmeet by Zoom (will be available with SW update), AquaMail, File Manager, Media Player			
USB Type-C	Data transfer: USB2.0, Charging capability: 7.5W, DP alternate mode: 4K video stream			
	Over-the-Air SW Update, Screen Freeze, Screen Lock,			
Others	Dual Pen Recognition, Palm Erase, Annotate over Any Source			
Accessory				
Standard	QSG, IB, Power cord, Remote control unit, Mounting kit, 2xPen, RS232 Cable, USB A to B Touch Cable			
Certification				
BIS		YES		

Registered Office: Panasonic Life Solutions India Pvt. Ltd., 12th Floor, Ambience Tower, Ambience Island, NH-8, Gurgaon-122002, Haryana, India. Ph.: +91-124-4871300, Fax: +91-124-4871333 | Website: https://www.panasonic.com/in/ | Toll Free number: 1800 4190 373 | Service Touch points-336

*T&C Apply. Please visit www.panasonic.com/in. Products, images, specifications, features shown here are for representation only. Actual may vary. In case of any dispute, the decision of Panasonic Life Solutions India Pvt. Ltd. shall be final and binding on all the parties.