



ALEI

CCTV Surveillance Products

CATALOGUE



**Discover the future of security with
ALEI and experience peace of mind
knowing that your spaces are
protected by the best in the
industry.**

Securing Your Smarter Spaces

www.alei.in

ABOUT ALEI

Founded with a vision to redefine the future of building solutions, Alviz Electro India Pvt. Ltd. has quickly established itself as a leader in the HVAC, Electronics Security, and AV Solutions markets. With our new brand, Alei, we aim to set new standards in security products that cater to the evolving needs of both residential and commercial spaces.



SECURE YOUR SMARTER SPACES

In today's world, where technology and comfort intersect, security is paramount. Alei is designed to offer peace of mind with state-of-the-art security products that integrate seamlessly into your smart environments. Our solutions are crafted to provide comprehensive protection while enhancing the intelligence of your spaces.

OUR COMMITMENT

Alei offers a wide array of security products. Each product is engineered with the latest technology to ensure reliability, efficiency, and ease of use. At Alei, we believe in more than just providing products; we believe in building trust. Our commitment to quality, innovation, and customer satisfaction is unwavering. We are here to support you every step of the way, ensuring that your smarter spaces are always secure.

IP DOME CAMERAS

ECO SERIES



ALEI 3 MP IP ECO DOME CAMERA

- Inbuilt POE & Audio
- 1/3" 3 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.

ALEI 4 MP IP ECO DOME CAMERA

- Inbuilt POE & Audio
- 1/3" 4 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.



ALEI 5 MP IP ECO DOME CAMERA

- Inbuilt POE & Audio
- 1/3" 5 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.



PREMIUM SERIES STARLIGHT

ALEI 4MP IP PREMIUM DOME CAMERA (STARLIGHT)

- Inbuilt POE & Audio
- 1/3" 4 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support



ALEI 5 MP IP PREMIUM DOME CAMERA (STARLIGHT)

- Inbuilt POE & Audio
- 1/3" 5 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support



ALEI 8 MP IP PREMIUM DOME CAMERA (STARLIGHT)

- Inbuilt POE & Audio
- 1/3" 8 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support



* 3.6mm lens comes standard with the camera, while a 6mm lens is optional and can be provided based on site requirements at an additional cost.

www.alei.in

IP BULLET CAMERAS

ECO SERIES



ALEI 3 MP IP ECO BULLET CAMERA

- Inbuilt POE & Audio
- 1/3" 3 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.

ALEI 4 MP IP ECO BULLET CAMERA

- Inbuilt POE & Audio
- 1/3" 4 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.



ALEI 5 MP IP ECO BULLET CAMERA

- Inbuilt POE & Audio
- 1/3" 5 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.

PREMIUM SERIES STARLIGHT

ALEI 4MP IP PREMIUM BULLET CAMERA (STARLIGHT)

- Inbuilt POE & Audio
- 1/3" 4 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support



ALEI 5 MP IP PREMIUM BULLET CAMERA (STARLIGHT)

- Inbuilt POE & Audio
- 1/3" 5 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support

ALEI 8 MP IP PREMIUM BULLET CAMERA (STARLIGHT)

- Inbuilt POE & Audio
- 1/3" 8 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support



* 3.6mm lens comes standard with the camera, while a 6mm lens is optional and can be provided based on site requirements at an additional cost.

www.alei.in

ULTRA PREMIUM IP DOME CAMERAS



ALEI 4MP IP ULTRA PREMIUM DOME CAMERA (DUAL COMMUNICATION)

- Inbuilt POE & Audio
- 1/3" 4 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance
- Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support
- Dual Communication

ALEI 5MP IP ULTRA PREMIUM DOME CAMERA (DUAL COMMUNICATION)

- Inbuilt POE & Audio
- 1/3" 5 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance
- Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support
- Dual Communication



ALEI 8MP IP ULTRA PREMIUM DOME CAMERA (DUAL COMMUNICATION)

- Inbuilt POE & Audio
- 1/3" 8 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 25m IR Distance
- Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support
- Dual Communication



ULTRA PREMIUM IP BULLET CAMERAS



ALEI 4MP IP ULTRA PREMIUM BULLET CAMERA (DUAL COMMUNICATION)

- Inbuilt POE & Audio
- 1/3" 4 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance
- Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support
- Dual Communication

ALEI 5MP IP ULTRA PREMIUM BULLET CAMERA (DUAL COMMUNICATION)

- Inbuilt POE & Audio
- 1/3" 5 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance
- Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support
- Dual Communication



ALEI 8MP IP ULTRA PREMIUM BULLET CAMERA (DUAL COMMUNICATION)

- Inbuilt POE & Audio
- 1/3" 8 MP CMOS Sensor
- Resolution : 2560(H) x 1440(V)
- Lens : 3.6mm/6mm*
- Maximum 25/30 fps
- Support LAN Wire
- Up to 20 to 30m IR Distance
- Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- 24/7 Full Color Night Vision
- 3D DNR, AGC, AWB, BLC Support
- Dual Communication



SPECIAL CAMERAS



ALEI 5MP MOTORIZED VARIFOCAI SMART AI BULLET CAMERA

- Image Sensor 1/2.8" 5MP CMOS SONY IMX335
- Effective Resolution 2560 (H) x 1920 (V)
- 5MP Outdoor POE Varifocal IP
- AI Smart Bullet Camera
- Lens: 2.8- 13.5 mm Varifocal
- Day/Night IR Cut Filter
- Metal Body, IP66
- Support LAN Wire
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.

ALEI 3MP WIFI BULLET CAMERA

- 1/3" CMOS Image Sensor
- Array Bullet 3MP Dual Light
- Built in High-Sensitivity Mic & Speaker
- Two Way Communication
- Resolution 2304 x 1296
- Lens-3.6mm Fixed Lens
- Micro SD Card Support Up To 128 GB
- Up to 20 to 30m IR Distance Array smart LEDs
- H.264/H.265 Dual Stream Enc.
- Metal Body, IP66



ALEI HD AUTOMATIC NUMBER PLATE RECOGNITION BULLET CAMERA

- Star light Color Night Vision
- 1080p HD (1920 x 1080) @30fps
- Support Smart H.265/H.264 Coding
- ICR Auto Switch True/Night
- 50 to 70m IR Night View Distance
- Motorized Zoom lens
- 3D DNR, True WDR, HLC, and ROI Coding
- 1CH Audio input, 1CH Audio Out put
- Hardware Reset
- Built in Micro SD Card Slot, Up To 128 GB
- 1 CH Alarm Input, 1CH Alarm Out put
- DC 12 V POE Power Source

SPECIAL CAMERAS



ALEI 4G 3MP DOME CAMERA

- 1/3" CMOS Image Sensor
- Array Dome 3MP Dual Light
- Built in High-Sensitivity Mic & Speaker
- Two Way Communication
- Resolution 2304 x 1296
- Lens- 4mm Fixed Lens

ALEI 4G 3MP BULLET CAMERA

- 1/3" CMOS Image Sensor
- Array Dome 3MP Dual Light
- Built in High-Sensitivity Mic & Speaker
- Two Way Communication
- Resolution 2304 x 1296
- Lens- 4mm Fixed Lens
- Metal + Fiber Body , IP66



ALEI WIFI 3MP DOME CAMERA

- 1/3" CMOS Image Sensor
- 3MP Warm Dual Light
- Built in High - Sensitivity Mic & Speaker
- Two Way Communication
- Resolution 2304 x 1296
- Lens-4mm Fixed Lens
- SD Card Support Up To 128 GB
- Onvif Support

ALEI IP 2/3MP FISH EYE CAMERA

- High Definition 2/3 MP
- 1/3" Progressive Image Sensor
- Resolution 1920(H) x 1080(V)
- Lens: 1.3mm
- 3IR Array LED For Superior Night Vision
- IRC For True Day & Night Vision
- Lux F (1.2, 50 IRE, AGC ON)
- Defog, DWDR, 2D/3DNR
- IR Range - Up to 25m 360 Degree Panoramic View



IP PTZ CAMERAS



ALEI 5MP 30X IP PTZ CAMERA

- 6" Half Metal Body Construction, IP66
- Support P2P Function, H.265
- 5MP/30X Zoom
- intrusion warning prompt
- ONVIF : Compatible with Any NVR
- Intelligent IR illumination & power consumption is variable, dependent the zoom factor
- Starlight (Color) Night Vision



ALEI 3MP 10X IP PTZ CAMERA

- 6" Half Metal Body Construction, IP66
- Support P2P Function, H.265
- 3MP/10X Zoom
- intrusion warning prompt
- ONVIF : Compatible with Any NVR
- Intelligent IR illumination & power consumption is variable, dependent the zoom factor
- Starlight (Color) Night Vision

4G SOLAR PT CAMERAS



ALEI 4G SOLAR 4MP PT CAMERA

- Dual lens, Freely Switch a bleat Different Focal Length , 10x Zoom
- All Time Color Vision
- Easy Installation
- 24000mAh Battery / 7.5W Solar Panel
- 24 Hours Uninterrupted Monitoring
- PTZ Cruise, 360 Degree Monitoring
- Reset button, and all 4G/5G sim cards supportable
- Sun protection, dust proof, lightning protection
- Micro SD Card Support : 256 GB
- IR Distance : 40 Meters



ALEI 4G SOLAR 3MP PT CAMERA

- All Time Color Vision, Easy Installation
- 12000mAh battery
- 24 Hours Uninterrupted Monitoring
- PTZ Cruise, 360 Degree Monitoring
- Reset button, and all 4G sim cards
- Supportable, sun protection, dust proof, lightning protection
- IP 66
- Micro SD Card Support : 128 GB
- Easy Installation
- IR Distance : 40 Meters

WIFI PT CAMERAS



ALEI 5MP BIG WIFI PT CAMERA

- All Time Color Vision
- Easy Installation
- 20000mAh inbuilt battery
- PTZ Cruise, 360 Degree Monitoring
- 24 Hours Uninterrupted Monitoring
- Two-Way Voice Intercom
- Support 8 - 128 GB Memory Card
- IP 66



ALEI 2MP WIFI PT CAMERA (DUAL LENS)

- Dual lenses, Freely Switchable at Different Focal Length
- Dual Light Sources (4 White Light + 4 Infrared, Automatic lights On on Human Detection)
- Two-Way Voice Intercom 360-Degree Rotation
- Support 8 - 128 GB Memory Card
- Support Online Purchase of Cloud Storage
- Support Custom Setting Alarm Sound
- Supports Simultaneous Four-Screen Viewing
- Supports Standard ONVIF Protocol

4G PT CAMERAS



ALEI PT 4G CAMERA 3/4MP

- Premium 3mp IP66 Water Proof, wireless, HD lens, 12 pcs Led
- power port, network port,
- Reset button, and all sim cards supportable
- Sun protection, dust proof, lightning protection
- 24 Hours Uninterrupted Monitoring
- PTZ Cruise, 360 Degree Monitoring
- Micro SD Card Support: 256GB



ALEI PT 4G CAMERA 3/4MP DUAL LENS

- Premium 3mp IP66 Water Proof, wireless, HD lens, 12 pcs Led
- Dual lens, Freely Switchable
- All Time Color Vision
- No Need Complicated Cabling
- 24 Hours Uninterrupted Monitoring
- PTZ Cruise, 360 Degree Monitoring
- Micro SD Card Support: 256GB
- All 4G SIM Card Supported
- IP 66

INDOOR PT CAMERAS



ALEI 4MP INDOOR WIFI CAMERA

- 3MP (2304 x 1296)
- Dual Light Sources (Automatic Lights on Human Detection)
- Monocular Dual Screen
- Support Wi-Fi & Hotspot Two-Way Voice Intercom
- Accurate Humanoid Tracking
- Support 8 - 128 GB Memory Card
- Support Custom Setting Alarm Sound
- Support Standard ONVIF 2.4 Protocol

ALEI 4/6MP DUAL LENS WIFI CAMERA

- Support Dual Lenses With Different Focal Lengths To Switch Freely
- Support Wi-Fi & Hotspot Connection
- Two-Way Voice Intercom
- Accurate Humanoid Tracking
- Support 8 - 128 GB Memory Card
- Support Custom Setting Alarm Sound
- Supports Simultaneous Four-Screen Viewing
- 5v1.5a Power Supply
- Supports Standard ONVIF Protocol



ALEI VIDEO CALLING SMART CAMERA

- Two-Way Audio/Video
- 2.8 inch high-definition display with two way camera video calling
- Use two-way Video
- Bluetooth Pairing
- Wireless Remote Control
- HIFI Stereo Sound
- Wi-fi Compatible
- Two-Way Voice Intercom
- Accurate Humanoid Tracking
- Support 8 - 128 GB Memory Card

NVR ECO SERIES



ALEI 9CH/16CH ECO NVR


- Support H264/H265
- Recording : 25 fps
- Support Camera : 1080P,4MP/5MP
- Communication : LAN + USB
- Playback : 9CH
- Motion Recording Compactable
- Output : VGA + HDMI
- Audio : 9CH
- USB Port : 2 Port

ALEI 32CH ECO NVR

- Support H264/H265
- Recording : 25 fps
- Support Camera : 1080P,4MP/5MP
- Communication : LAN + USB
- Playback : 16CH
- Motion Recording Compactable
- Output : VGA + HDMI
- Audio : 16CH
- USB Port : 2 Port



NVR PREMIUM SERIES(STARLIGHT)



ALEI 9/16CH H265-4K NVR

- Support H264/H265-4K
- Recording : 25 fps
- Supports Starlight Camera
- Support Camera : 1080P, 4MP/5MP & 8MP
- Communication : LAN+USB
- Playback : 9CH
- Motion Recording : Yes
- Output : VGA + HDMI
- Audio : 9CH
- USB Port : 2 Port

ALEI 32/64CH H265-4K NVR

- Support H264/H265-4K
- Recording : 25 fps
- Supports Starlight Camera
- Support Camera : 1080P, 4MP/5MP & 8MP
- Communication : LAN+USB
- Playback : 9/16CH
- Motion Recording : Yes
- Output : VGA + HDMI
- Audio : 16/32CH
- USB Port : 2 Port



NVR ULTRA PREMIUM




ALEI 9CH H265-4K-2D NVR

- 720P/960P/1080P/3MP/4MP/5MP/8MP
- 960H/DIF IP video input
- H.2655/H.265+/H.265/H.264 4K coding
- Intuitive and user _friendly Graphic User Interface(GUI) Windows style operation by mouse
- Playback : 9CH simultaneous playback
- 2 Way Communication through NVR
- 6W Speaker for Crystal Clear Voice
- Announcements can be made on the selected channel
- Alarm Alert on Motion Detection
- In-Built Mic Port in NVR
- Support multiple VCA (Video Content Analytics) events
- HDD Support Up to 8TB

ALEI 16CH-H265-4K-2D-NVR

- 720P/960P/1080P/3MP/4MP/5MP/8MP
- 960H/DIF IP video input
- H.2655/H.265+/H.265/H.264 4K coding
- Intuitive and user _friendly Graphic User Interface(GUI) Windows style operation by mouse
- Playback : 9/16CH simultaneous playback
- 2 Way Communication through NVR
- 6W Speaker for Crystal Clear Voice
- Announcements can be made on the selected channel
- Alarm Alert on Motion Detection
- In-Built Mic Port in NVR
- Support multiple VCA (Video Content Analytics) events
- HDD Support Up to 8TB



ALEI 32CH H265-4K-2D NVR

- 720P/960P/1080P/3MP/4MP/5MP/8MP
- 960H/DIF IP video input
- H.2655/H.265+/H.265/H.264 4K coding
- Intuitive and user friendly Graphic User Interface (GUI) Windows style operation by mouse
- Playback : 8/16CH simultaneous playback
- 2 Way Communication through NVR
- 6W Speaker for Crystal Clear Voice
- Announcements can be made on the selected channel
- Alarm Alert on Motion Detection
- In-Built Mic Port in NVR
- Support multiple VCA (Video Content Analytics) events
- HDD Support Up to 8TB

ALEI 64/128CH H265-4K-2D NVR

- 720P/960P/1080P/3MP/4MP/5MP/8MP
- 960H/DIF IP video input
- H.2655/H.265+/H.265/H.264 4K coding
- Intuitive and user friendly Graphic User Interface (GUI) Windows style operation by mouse
- Playback : 8/16CH simultaneous playback
- 2 Way Communication through NVR
- 6W Speaker for Crystal Clear Voice
- Announcements can be made on the selected channel
- Alarm Alert on Motion Detection
- In-Built Mic Port in NVR
- Support multiple VCA (Video Content Analytics) events
- HDD Support Up to 8TB

ACCESSORIES



ALEI POE SWITCH 4/8/16+2 100/1000M 4/8 PORT

- 4/8/16CH POE + 2CH Uplink
- 4*10/100 Base-TX ethernet Ports(Poe Ports)
- 2*10 / 100 For Uplink Ports
- IEEE 802.3Af/At
- 1.6 GBPS Bandwidth, 75W Max Power Single Port Shell
- Thickness Only 32mm
- RJ 45 Port Support POE + Supply
- Plug and Play




ALEI POE SWITCH 4/8/16+2 10/100M 2 UPLINK GIGA PORTS

- 4/8/16CH POE + 2CH Uplink
- 4*10/100 Base-TX ethernet Ports(Poe Ports)
- 2*10 / 100 For Uplink Ports
- IEEE 802.3Af/At
- 1.6 GBPS Bandwidth, 120W Max Power Single Port Shell
- Thickness Only 32mm
- RJ 45 Port Support POE + Supply
- Plug and Play



ALEI POE SWITCH 8+2 100/1000M FULL GIGA

- 4/8/16CH POE + 2CH Uplink
- 4*10/100 Base-TX ethernet Ports(Poe Ports)
- 2*10 / 100 For Uplink Ports
- IEEE 802.3Af/At
- 1.6 GBPS Bandwidth, 75W Max Power Single Port Shell
- Thickness Only 32mm
- RJ 45 Port Support POE + Supply
- Plug and Play



ALEI 4G/5G ROUTER

- Internet Speed at 2.4 GHz.
- Plug and play setup for hassle-free installation Stable Wi-fi experience
- Ethernet port (RJ45)
- Triple antenna setup
- Working temperature- -20 ~ 70-degree
- Secured network Wi-fi range- Up to 200 meters Micro SIM card slot Support 4G/5G SIM
- All GSM network support

ACCESSORIES




Outdoor Housing

NVR/POE Housing



HDMI Over IP

Metal Rack



Camera Base Box

CCTV Long Stand



Cat-6 Cable

Disclaimer

Product designs and technical specifications are subject to change without prior notice. Alviz Electro India Pvt. Ltd. (ALEI) reserves the right to make adjustments and improvements to products as necessary. All information provided in this catalogue is intended for informational purposes only and does not constitute a warranty or guarantee. ALEI is not liable for any errors or omissions in the product specifications or descriptions. Usage of our products must comply with local laws and regulations. For the most current information, please visit our website www.alei.in or contact our sales team.



SCAN NOW TO JOIN OUR
CHANNEL FOR DAILY UPDATES

YOUR TRUSTED PARTNER IN CREATING SMARTER, SAFER AND CONNECTED SPACES



Authorized Partner:

Alviz Electro India Pvt. Ltd,
Plot No 8/A, Santoshima Colony,
West Marredpally, Secunderabad,
Hyderabad, Telangana – 500026.

For More Info



+91-7330814440
+91-7330935550
marketing@alei.in

For Sales Enquiry



+91-40-4012-5656
+91-91000 12705
sales@alei.in

For Service Support



+91-40-4011-5299
+91-91000 12703
support@alei.in